



**BARRIER FENCING**  
SUPPLY COMPANY



# PRODUCT

## CATALOG

Aluminum & Vinyl Fences

WWW.BARRIERFENCINGPRODUCTS.COM



# Table of Contents

<b>1.0 Aluminum Fence Specifications</b>	<b>3</b>
2-Rail 48"x72"	4
3-Rail 48"x72"	5
3-Rail 54"x72"	6
3-Rail 60"x72"	7
3-Rail 72"x72"	8
4-Rail 72"x72"	9
Puppy Picket	10
Double Picket	11
Commercial 3-Rail 72"x96"	12
Commercial 3-Rail 96"x96"	13
<b>2.0 Gate Panels</b>	<b>14</b>
Gate Panels	15
<b>3.0 Premium Gate Hardware</b>	<b>22</b>
Aluminum Hardware	23
<b>4.0 Product Features</b>	<b>25</b>
Product Features	26
<b>5.0 Vinyl Fence Specifications</b>	<b>27</b>
Full Privacy Fence	28
Semi-Privacy Fence	29
Standard Vinyl Picket Fence	30
3inch Picket Fence	31
2,3, & 4 Rail Post & Rail System	32
Shadowbox Semi-Privacy Fence	33
PVC Pool Fence	34
Wood Grain Privacy Fence	35
Gray Vinyl Fence	36
Item Details	37
<b>6.0 Vinyl Handrails</b>	<b>38</b>
36" x 48" Straight Railing	39
36" x 72" Straight Railing	40
36" x 96" Straight Railing	41
36" x 48" Stairs	42
36" x 72" Stairs	43
36" x 96" Stairs	44
<b>7.0 Aluminum Baluster Handrails</b>	<b>45</b>
Aluminum Baluster Handrails	46
<b>8.0 Profiles &amp; Descriptions</b>	<b>47</b>
Profiles & Descriptions	48
<b>9.0 Vinyl Fence Hardware</b>	<b>51</b>
Vinyl Fence Hardware	52

# Table of Contents

<b>10.0 Advantage To Using Our Product</b>	<b>53</b>
Advantage To Using Our Product	54
<b>11.0 Product Features</b>	<b>55</b>
Product Features	56
<b>12.0 Franchising</b>	<b>62</b>
Franchising	62
Contact Us	63

# Aluminum Fence \_\_\_\_\_ \_\_\_\_\_ Specifications

# ALUMINUM FENCES

## Barrier Fencing 2-Rail 48"\*72"



### Picket



5/8" x 5/8"  
.055" wall thickness

### Rail



1" x 1" .078" top wall  
.082" side wall

### Post



2" x 2" x .062" (Line Post)  
2" x 2" x .125" (Gate Post)

Picket Spacing 3 13/16"

Post Spacing (Center to Center) 72 1/2"

Height 48"

Standard Color Black

Alloy 6063-T5

Screw Philips Head Stainless Steel Tack Screw



# ALUMINUM FENCES

## Barrier Fencing 3-Rail 48"\*72"



### Picket



5/8" x 5/8"  
.055" wall thickness

### Rail



1" x 1" .078" top wall  
.082" side wall

### Post



2" x 2" x .062" (Line Post)  
2" x 2" x .125" (Gate Post)

Picket Spacing

3 13/16"

Post Spacing (Center to Center)

72 1/2"

Height

48"

Standard Color


Black

Alloy

6063-T5


Screw

Philips Head Stainless  
Steel Tack Screw



# ALUMINUM FENCES

## Barrier Fencing 3-Rail 54"\*72"



### Picket



5/8" x 5/8"  
.055" wall thickness

### Rail



1" x 1" .078" top wall  
.082" side wall

### Post



2" x 2" x .062" (Line Post)  
2" x 2" x .125" (Gate Post)

Picket Spacing

3 13/16"

Post Spacing (Center to Center)

72 1/2"

Height

54"

Standard Color


Black

Alloy

6063-T5


Screw

Philips Head Stainless  
Steel Tack Screw



# ALUMINUM FENCES

## Barrier Fencing 3-Rail 60"\*72"



### Picket



5/8" x 5/8"  
.055" wall thickness

### Rail




1" x 1" .078" top wall  
.082" side wall

### Post



2" x 2" x .062" (Line Post)  
2" x 2" x .125" (Gate Post)

Picket Spacing	3 13/16"
Post Spacing (Center to Center)	72 1/2"
Height	60"
Standard Color	Black
Alloy	6063-T5
Screw	Philips Head Stainless Steel Tack Screw



# ALUMINUM FENCES

## Barrier Fencing 3-Rail 72"\*72"



### Picket



5/8" x 5/8"  
.055" wall thickness

### Rail



1" x 1" .078" top wall  
.082" side wall

### Post



2" x 2" x .062" (Line Post)  
2" x 2" x .125" (Gate Post)

Picket Spacing	3 3/4"
Post Spacing <i>(Center to Center)</i>	72 1/2"
Height	72"
Standard Color	Black
Alloy	6063-T5
Screw	Philips Head Stainless Steel Tack Screw

# ALUMINUM FENCES

## Barrier Fencing 4-Rail 72"\*72"



### Picket



5/8" x 5/8"  
.055" wall thickness

### Rail



1" x 1" .078" top wall  
.082" side wall

### Post



2" x 2" x .062" (Line Post)  
2" x 2" x .125" (Gate Post)

Picket Spacing	3 3/4"
Post Spacing <i>(Center to Center)</i>	72 1/2"
Height	72"
Standard Color	Black
Alloy	6063-T5
Screw	Philips Head Stainless Steel Tack Screw

# ALUMINUM FENCES

## Barrier Fencing Puppy Picket



### Picket



5/8" x 5/8"  
.055" wall thickness

### Rail



1" x 1" .078" top wall  
.082 side wall

### Post




2" x 2" .062" (Line Post)  
2" x 2" .125" (Gate Post)

Picket Spacing	-
Post Spacing <i>(Center to Center)</i>	-
Height	48", 54", 60"
Standard Color	Black
Alloy	6063-T5
Screw	Philips Head Stainless Steel Tack Screw

# ALUMINUM FENCES

## Barrier Fencing Double Picket



### Picket



5/8" x 5/8"  
.055" wall thickness

### Rail



1" x 1" .078" top wall  
.082 side wall

### Post




2" x 2" .062" (Line Post)  
2" x 2" .125" (Gate Post)

Picket Spacing	-
Post Spacing <i>(Center to Center)</i>	-
Height	48", 54", 60"
Standard Color	Black
Alloy	6063-T5
Screw	Philips Head Stainless Steel Tack Screw

# ALUMINUM FENCES

## Barrier Fencing Commercial 3-Rail 72"\*96"



### Picket



5/8" x 5/8"  
.055" wall thickness

### Rail




1" x 1" .078" top wall  
.085 side wall

### Post




2.5" x 2.5" .096" (Post)  
-

Picket Spacing	3 7/8"
Post Spacing (Center to Center)	-
Height	72"
Standard Color	Black
Alloy	6063-T5
Screw	Philips Head Stainless Steel Tack Screw



# ALUMINUM FENCES

## Barrier Fencing Commercial 3-Rail 96"\*96"



### Picket



5/8" x 5/8"  
.055" wall thickness

### Rail




1" x 1" .078" top wall  
.085 side wall

### Post



2.5" x 2.5" .096" (Post)  
-

Picket Spacing	3 7/8"
Post Spacing (Center to Center)	-
Height	96"
Standard Color	Black
Alloy	6063-T5
Screw	Philips Head Stainless Steel Tack Screw




# Gate \_\_\_\_\_ \_\_\_\_\_ Panels


# ALUMINUM FENCES

## Gate Panels


**Aluminum Gate Panel - 46.5"\*48"**




**Aluminum Gate Panel - 58.5"\*48"**



**Aluminum Gate Panel - 46.5"\*48"**



**Aluminum Gate Panel - 58.5"\*48"**




- Top and bottom rails match fence sections
- Gates are powder coated after welding for a perfect finish
- Gates are screwed and welded together for double strength


# ALUMINUM FENCES

## Gate Panels


### Aluminum Gate Panel - 46.5"\*48"




### Aluminum Gate Panel - 46.5"\*54"



### Aluminum Gate Panel - 46.5"\*60"



### Aluminum Gate Panel - 46.5"\*72"




- Top and bottom rails match fence sections
- Gates are powder coated after welding for a perfect finish
- Gates are screwed and welded together for double strength


# ALUMINUM FENCES

## Gate Panels


**Aluminum Gate Panel - 58.5"\*48"**




**Aluminum Gate Panel - 58.5"\*54"**



**Aluminum Gate Panel - 58.5"\*60"**



**Aluminum Gate Panel - 58.5"\*72"**






- Top and bottom rails match fence sections
- Gates are powder coated after welding for a perfect finish
- Gates are screwed and welded together for double strength




# ALUMINUM FENCES

## Gate Panels




**Aluminum Arch Gate Panel - 46.5"\*48"**






**Aluminum Arch Gate Panel - 46.5"\*48"**



**Aluminum Arch Gate Panel - 46.5"\*54"**



**Aluminum Arch Gate Panel - 46.5"\*60"**




- Top and bottom rails match fence sections
- Gates are powder coated after welding for a perfect finish
- Gates are screwed and welded together for double strength


# ALUMINUM FENCES

## Gate Panels

### Aluminum Arch Gate Panel - 46.7"\*48"



### Aluminum Double Arch Gate Panel - 120"\*48"




- Top and bottom rails match fence sections
- Gates are powder coated after welding for a perfect finish
- Gates are screwed and welded together for double strength


# ALUMINUM FENCES

## Gate Panels

### Aluminum Double Arch Gate Panel - 120"\*48"



### Aluminum Double Arch Gate Panel - 120"\*48"




- Top and bottom rails match fence sections
- Gates are powder coated after welding for a perfect finish
- Gates are screwed and welded together for double strength


# ALUMINUM FENCES

## Gate Panels

### Aluminum Double Arch Gate Panel - 120"\*54"



### Aluminum Double Arch Gate Panel - 120"\*60"



- Top and bottom rails match fence sections
- Gates are powder coated after welding for a perfect finish
- Gates are screwed and welded together for double strength

Premium Gate \_\_\_\_\_  
\_\_\_\_\_ Hardware

# ENHANCE YOUR FENCE:

Premium Gate Hardware for Aluminum and Vinyl

## Aluminum Hardware



### Self-Closing Hinge

Enhance the functionality and safety of your fencing project with Barrier's premium Self-Closing Hinge, engineered for reliability, strength, and long-lasting performance. Constructed from stainless steel and reinforced polymer components, this hinge delivers smooth, controlled gate movement and automatically returns the gate to a closed position — ideal for residential, commercial, and pool applications where security and compliance are essential.

### Key Lockable Pool Latch

Ensure safety and peace of mind with Key Lockable Pool Latch, designed to meet and exceed modern pool safety standards. Its child-proof magnetic self-latching system automatically secures the gate after every use, preventing accidental or unauthorized access to pool areas. Built for durability and reliability, the latch is crafted from high-quality, weather-resistant materials that stand up to sun, moisture, and daily use. Featuring a sleek, modern design, it seamlessly complements any aluminum fencing system while maintaining a clean, professional appearance. Ideal for residential and commercial pools, this latch combines security, functionality, and style in one essential safety solution.



### 24" Drop Rod

24" Drop Rod is a durable, high-performance gate accessory designed to enhance stability and security for double or single gate systems. Crafted from heavy-duty steel with a protective powder-coated finish, it resists rust and wear for long-term outdoor performance. The integrated padlock-compatible feature allows for added security when gates need to remain closed, while retention tabs keep the rod in place, preventing unwanted movement, dragging, or ground damage. Compatible with both vinyl and aluminum gates, this drop rod delivers smooth operation, dependable locking, and easy installation, making it an essential component for any secure fencing system.



# ENHANCE YOUR FENCE:

*Premium Gate Hardware for Aluminum and Vinyl*

## ■ Aluminum Hardware

### 2" Ball Post Cap

Add a refined finishing touch to your fencing system with a 2" Ball Post Cap, crafted to fit perfectly on 2"x2" aluminum fence posts. Featuring a smooth, decorative sphere design, this cap enhances the visual appeal of your fence with a classic yet modern look. The black powder-coated finish provides superior protection against rust, fading, and weathering, ensuring lasting beauty and performance. Easy to install and built for long-term durability, the 2" Ball Post Cap combines elegance, strength, and low maintenance, making it the ideal accent for any residential or commercial fencing project.



### Gravity Latch

Enhance your gate's functionality with a Gravity Latch, designed for dependable performance and a clean, professional look. This latch provides secure gate closure through a simple, self-latching mechanism that engages automatically when the gate shuts. Constructed from both stainless and non-stainless steel and durable, weather-resistant materials, it delivers long-lasting reliability without sacrificing ease of use. The straightforward installation process includes six mounting screws and requires minimal preparation, making it an efficient, cost-effective solution for both residential and commercial fencing systems. Combining simplicity, security, and style, the Gravity Latch is a trusted choice for everyday gate access.

### Floor Mount

Enhance the strength and stability of your fencing system with a Floor Mount, engineered for dependable performance and a refined appearance. Designed specifically for surface mounting aluminum fence posts, this mount provides a secure and seamless installation on concrete, wood, or other hard surfaces. Constructed from heavy-duty steel and finished with a durable black powder coat, it offers superior resistance to rust, corrosion, and outdoor wear. Positioned at the base of your post, it ensures lasting support and alignment, delivering both structural integrity and a polished, professional look for any fencing project.



# Product \_\_\_\_\_ \_\_\_\_\_ Features



## Extruded Aluminum Process

The extrusion process involves forcing heated aluminum through a precision die under high pressure to create uniform, custom-shaped profiles. This manufacturing method produces components that are both lightweight and exceptionally strong, offering outstanding durability and corrosion resistance. In addition to its long service life, extruded aluminum is fully recyclable and environmentally sustainable, making it an ideal choice for modern construction and fencing applications. Its versatile adaptability allows for a wide range of designs and configurations, ensuring both structural integrity and aesthetic appeal in every project.



## Shipping

At Barrier Fencing, we take exceptional care in packaging to ensure every product arrives in perfect condition. Each panel is carefully wrapped with protective foam or paper or clipped using a special spacer to prevent scratches or surface damage during transit. Panels are then securely tied together and reinforced within heavy-duty cardboard packaging, metal crate, or pallet to minimize movement and impact. This meticulous process guarantees that your fencing products are delivered safely, neatly organized, and ready for installation upon arrival.

✉ [Sales@barrierfencingproducts.com](mailto:Sales@barrierfencingproducts.com)  
🌐 [www.barrierfencingproducts.com](http://www.barrierfencingproducts.com)



## Powder Coating

Leading aluminum fence manufacturers use powder coating instead of traditional paint to achieve a superior, long-lasting finish. This advanced process electrostatically applies a dry powder to the aluminum surface and then cures it under heat, forming a smooth, durable layer that bonds permanently to the metal. The result is a vibrant, fade-resistant color that enhances curb appeal while offering exceptional protection against rust, corrosion, chipping, and environmental wear. Powder coating not only ensures a maintenance-free finish but also provides a cleaner, eco-friendly alternative to liquid painting methods.



## Assembly in the USA

While some components are sourced globally, every Barrier Fencing product is assembled right here in the USA, ensuring exceptional quality control and craftsmanship. Each panel is meticulously inspected throughout the assembly process to guarantee a defect-free finish that meets our high standards. By overseeing final production domestically, we maintain consistent quality, precision fit, and reliable performance — giving our customers the confidence that every product bearing the Barrier name is built to last.

 **BARRIER FENCING**  
SUPPLY COMPANY



# Vinyl Fence \_\_\_\_\_ \_\_\_\_\_ Specifications

# VINYL FENCES


## > Full Privacy Fence



Item	Dimension (inch)	Thickness (inch)	QTY
Post 	5"x5"x108"	0.149"	1
Rail 	1.75"x5.5"x94"	0.11"	2
U-Channel	7/8"x 59"	0.047"	2
T&G Picket	7/8"x 6"x 62.2"	0.051"	15
Alum	94"	/	1
Post Cap	External Flange	External Flange	1

### Features

- ASTM Standard Lead-Free compound.
- UV resistant, limited lifetime warranty.
- Full-automatic route machine to guarantee excellent quality.
- Made from high quality virgin vinyl.
- Made of low-maintenance vinyl.
- You don't have to repaint it ever, because it has the same color through the whole depth of the vinyl material. Once installed, your vinyl fencing will look just as fresh and fancy as the very first day you bought it. It's very easy to clean with basic soap and water.



### Color Available



# VINYL FENCES


## > Semi-Privacy Fence



Item	Dimension (inch)	Thickness (inch)	QTY
Post 	5"x5"x108"	0.149"	1
Rail 	1.5"x5.5"x94"	0.11"	2
Picket 	7/8"x6"x64"	0.078"	11
Alum	94"	/	1
Post Cap	External Flange	External Flange	1

### Features

- 3 picket rail options available.
- Panels offered in 6', 8' widths.
- ASTM Standard Lead-Free compound.
- UV resistant, limited lifetime warranty.
- Full-automatic route machine to guarantee excellent quality.
- Made from high quality virgin vinyl.
- Made of low-maintenance vinyl.
- You don't have to repaint it ever, because it has the same color through the whole depth of the vinyl material. Once installed, your vinyl fencing will look just as fresh and fancy as the very first day you bought it. It's very easy to clean with basic soap and water.



### Color Available



# VINYL FENCES


## > Standard Vinyl Picket Fence



Item	Dimension (inch)	Thickness (inch)	QTY
Post 	4"x4"x72"	0.149"	1
Rail 	2"x3.5"x94"	0.11"	2
Picket 	1.5"x1.5"x44"	0.078"	24
Alum	94"	94"	1
Post Cap	Gothic	Gothic	1

### Features

- 2 picket styles available: 3"x7/8", 1.5"x1.5".
- Pickets installed with through-rail construction.
- Assortment of picket top options allowing you to create a distinctive look.
- Panels offered in 6' and 8' widths or other size.
- Optional bottom rail insert.
- ASTM Standard Lead-Free compound.
- UV resistant, limited lifetime warranty.
- Full-automatic route machine to guarantee excellent quality.
- Made from high quality virgin vinyl.
- Made of low-maintenance vinyl.
- You don't have to repaint it ever, because it has the same color through the whole depth of the vinyl material. Once installed, your vinyl fencing will look just as fresh and fancy as the very first day you bought it. It's very easy to clean with basic soap and water.



### Color Available



# VINYL FENCES


## > 3inch Picket Fence



Item	Dimension (inch)	Thickness (inch)	QTY
Post 	4"x4"x72"	0.149"	1
Rail 	2"x3.5"x94"	0.11"	2
Picket 	3"x7/8"x44"	0.078"	15
Alum	94"	94"	1
Post Cap	Gothic	Gothic	1

### Features

- Standard picket styles and customized available.
- Pickets installed with through-rail construction.
- Assortment of picket top options allowing you to create a distinctive look.
- Panels offered in 6' and 8' widths or other size.
- Optional bottom rail insert.
- ASTM Standard Lead-Free compound.
- UV resistant, limited lifetime warranty.
- Full-automatic route machine to guarantee excellent quality.
- Made from high quality virgin vinyl.
- Made of low-maintenance vinyl.
- You don't have to repaint it ever, because it has the same color through the whole depth of the vinyl material. Once installed, your vinyl fencing will look just as fresh and fancy as the very first day you bought it. It's very easy to clean with basic soap and water.



### Color Available



# VINYL FENCES


## > 2, 3, & 4 - Rail Post & Rail System



Item	Dimension (inch)	Thickness (inch)	QTY
Post 	5"x5"x60"	0.149"	1
Rail 	1.5"x5.5"x94"	0.11"	2
Post Cap	External Flange	External Flange	1

Item	Dimension (inch)	Thickness (inch)	QTY
Post 	5"x5"x80.5"	0.149"	1
Rail 	1.5"x5.5"x94"	0.11"	3
Post Cap	External Flange	External Flange	1

Item	Dimension (inch)	Thickness (inch)	QTY
Post 	5"x5"x102"	0.149"	1
Rail 	1.5"x5.5"x94"	0.11"	4
Post Cap	External Flange	External Flange	1



### Features

- Available in 2, 3, 4-rail.
- Our ranch fence is attractive, sturdy and relatively long-lasting.
- ASTM Standard Lead-Free compound.
- UV resistant, limited lifetime warranty.
- Full-automatic route machine to guarantee excellent quality.
- Made from high quality virgin vinyl.
- Made of low-maintenance vinyl.
- You don't have to repaint it ever, because it has the same color through the whole depth of the vinyl material. Once installed, your vinyl fencing will look just as fresh and fancy as the very first day you bought it. It's very easy to clean with basic soap and water.

### Color Available



# VINYL FENCES


## > Shadowbox Semi-Privacy Fence



Item	Dimension (inch)	Thickness (inch)	QTY
Post 	5"x5"x108"	0.149"	1
Rail 	3"x3"x94"	0.11"	2
Picket 	7/8"x6"x64"	0.078"	15
Aluminum Stiffener	94"	/	1
Post Cap	External Flange	External Flange	1

### Features

- Panels offered in 6', 8' widths.
- ASTM Standard Lead-Free compound.
- UV resistant, limited lifetime warranty.
- Full-automatic route machine to guarantee excellent quality.
- Made from high quality virgin vinyl.
- Made of low-maintenance vinyl.
- You don't have to repaint it ever, because it has the same color through the whole depth of the vinyl material. Once installed, your vinyl fencing will look just as fresh and fancy as the very first day you bought it. It's very easy to clean with basic soap and water.



### Color Available



# VINYL FENCES

## > PVC Pool Fence



Item	Dimension (inch)	Thickness (inch)	QTY
Post	-	-	-
Rail	-	-	-
Post Cap	-	-	-

### Features

- Our pool fence meets industry standards to ensure the safety of your children.
- ASTM Standard Lead-Free compound.
- UV resistant, limited lifetime warranty.
- Full-automatic route machine to guarantee excellent quality.
- Made from high quality virgin vinyl.
- Made of low-maintenance vinyl.

You don't have to repaint it ever, because it has the same color through the whole depth of the vinyl material. Once installed, your vinyl fencing will look just as fresh and fancy as the very first day you bought it. It's very easy to clean with basic soap and water.

### Color Available



# VINYL FENCES


## > Wood Grain Privacy fence



Item	Dimension (inch)	Thickness (inch)	QTY
Post 	5"x5"x108"	0.149"	1
Rail 	1.75"x5.5"x94"	0.11"	2
U-Channel	7/8"x 59"	0.047"	2
T&G Picket	7/8"x 6"x 62.2"	0.051"	15
Alum	94"	/	1
Post Cap	External Flange	External Flange	1

### Features

- ASTM Standard Lead-Free compound.
- UV resistant, limited lifetime warranty.
- Full-automatic route machine to guarantee excellent quality.
- Made from high quality virgin vinyl.
- Made of low-maintenance vinyl.
- You don't have to repaint it ever, because it has the same color through the whole depth of the vinyl material. Once installed, your vinyl fencing will look just as fresh and fancy as the very first day you bought it. It's very easy to clean with basic soap and water.



# VINYL FENCES


## > Gray Vinyl Fence



Item	Dimension (inch)	Thickness (inch)	QTY
Post 	5"x5"x108"	0.149"	1
Rail 	1.75"x5.5"x94"	0.11"	2
U-Channel	7/8"x 59"	0.047"	2
T&G Picket	7/8"x 6"x 62.2"	0.051"	15
Alum	94"	/	1
Post Cap	External Flange	External Flange	1

### Features


- ASTM Standard Lead-Free compound.
- UV resistant, limited lifetime warranty.
- Full-automatic route machine to guarantee excellent quality.
- Made from high quality virgin vinyl.
- Made of low-maintenance vinyl.
- You don't have to repaint it ever, because it has the same color through the whole depth of the vinyl material. Once installed, your vinyl fencing will look just as fresh and fancy as the very first day you bought it. It's very easy to clean with basic soap and water.




# VINYL FENCES

## > Item Details



### Post styles





### Post Cap styles



*\*post caps are fit for 3", 4" and 5" post*



*pre-assembled gate*




*gate upright, caps*

# Vinyl \_\_\_\_\_ \_\_\_\_\_ Handrails


# VINYL HANDRAILS

## > 36 x 48 Straight Railing




### Material per section


Item	Dimension (inch)	Thickness (inch)	QTY
Top Rail	3.5" x 3.5" x 49.9"	0.11"	1
Bottom Rail	2" x 3.5" x 49.9"	0.11"	2
Picket	1.38" x 1.38" x 30"	0.08"	9
H Alum	49.9"	For Top Rail	1
I Alum	49.9"	For Bottom Rail	1



**STRAIGHT**  
36"H X 48"L  
TOP & BOTTOM




**BOTTOM RAIL**



**TOP/T RAIL**


# VINYL HANDRAILS

## > 36 x 72 Straight Railing




### Material per section


Item	Dimension (inch)	Thickness (inch)	QTY
Top Rail	3.5" x 3.5" x 75.57"	0.11"	1
Bottom Rail	2" x 3.5" x 75.57"	0.11"	2
Picket	1.38" x 1.38" x 30"	0.08"	14
H Alum	75.57"	For Top Rail	1
I Alum	75.57"	For Bottom Rail	1



**STRAIGHT  
36"H X 72"L  
TOP & BOTTOM**




**BOTTOM RAIL**



**TOP/T RAIL**


# VINYL HANDRAILS

## > 36 x 96 Straight Railing




### Material per section


Item	Dimension (inch)	Thickness (inch)	QTY
Top Rail	3.5" x 3.5" x 96.09"	0.11"	1
Bottom Rail	2" x 3.5" x 96.09"	0.11"	2
Picket	1.38" x 1.38" x 30"	0.08"	18
H Alum	96.09"	For Top Rail	1
I Alum	96.09"	For Bottom Rail	1



**STRAIGHT**  
36"H X 96"L  
TOP & BOTTOM




**BOTTOM RAIL**



**TOP/T RAIL**



# VINYL HANDRAILS

## > 36 x 48 Stairs




### Material per section

Item	Dimension (inch)	Thickness (inch)	QTY
Top Rail	3.5" x 3.5" x 49.9"	0.11"	1
Bottom Rail	2"x3.5"x49.9"	0.11"	2
Picket	1.38"x1.38"x30"	0.08"	9
H Alum	49.9"	For Top Rail	1
I Alum	49.9"	For Bottom Rail	1





# VINYL HANDRAILS

## > 36 x 72 Stairs




### Material per section

Item	Dimension (inch)	Thickness (inch)	QTY
Top Rail	3.5" x 3.5" x 75.57"	0.11"	1
Bottom Rail	2"x3.5"x75.57"	0.11"	2
Picket	1.38"x1.38"x30"	0.08"	14
H Alum	75.57"	For Top Rail	1
I Alum	75.57"	For Bottom Rail	1




# VINYL HANDRAILS

## > 36 x 96 Stairs




### Material per section


Item	Dimension (inch)	Thickness (inch)	QTY
Top Rail	3.5" x 3.5" x 96.09"	0.11"	1
Bottom Rail	2"x3.5"x96.09"	0.11"	2
Picket	1.38"x1.38"x30"	0.08"	18
H Alum	96.09"	For Top Rail	1
I Alum	96.09"	For Bottom Rail	1



STAIR  
36"H X 96"L  
TOP & BOTTOM




BOTTOM RAIL



TOP/T RAIL

# Aluminum Baluster \_\_\_\_\_ \_\_\_\_\_ Handrails

# ALUMINUM BALUSTER HANDRAILS



## Material per section

Item	Dimension (inch)	Thickness (inch)	QTY
Top Rail	3.5" x 3.5" x 49.9"	0.11"	1
Bottom Rail	2"x3.5"x49.9"	0.11"	2
Picket 	-	-	-
H Alum	-	-	-
I Alum	-	-	-


### Features

- **Durable Construction:** Made from premium-grade aluminum or vinyl, offering long-lasting strength and resistance to rust, corrosion, and weathering.
- **Elegant Design:** Combines a clean, modern profile with decorative balusters that enhance the appearance of porches, decks, and stairways while maintaining safety and visibility.
- **Low Maintenance:** The powder-coated aluminum finish or UV-protected vinyl surface ensures a fade-resistant, chip-free appearance that requires no repainting or refinishing.
- **Versatile Application:** Suitable for residential, commercial, and multi-family properties, with straight and stair configurations available in various lengths.
- **Easy Installation:** Pre-cut components and precision-fit brackets simplify installation, reducing time and labor costs on site.
- **Safety and Compliance:** Designed to meet or exceed international building codes for railing height, spacing, and load resistance.
- **Color and Style Options:** Offered in popular finishes such as black, white, and bronze, complementing both aluminum and vinyl fencing systems.


# Profiles and \_\_\_\_\_ \_\_\_\_\_ Descriptions

# VINYL FENCES


## > Profile and Descriptions




**2065 Slot Rail**  
Thickness: 0.10"




**2060 Slot Rail-I**  
Thickness: 0.09"




**I555 Slot Rail**  
Thickness: 0.08"




**2060 Ribbed Rail**  
Thickness: 0.087"




**I555 Ribbed Rail**  
Thickness: 0.08"




**I555 Lattice Slot Rail**  
Thickness: 0.08"




**2060 Lattice Slot Rail**  
Thickness: 0.08"




**2080 Rail**  
Thickness: 0.08"




**2060 Double Slot Rail**  
Thickness: 0.08"




**I7555 Slot Rail**  
Thickness: 0.071"




**2035 Lattice Rail**  
Thickness: 0.08"




**2035 Lattice Rail**  
Thickness: 0.08"




**2035 Ribbed Rail**  
Thickness: 0.11"



**2035 Open Rail**  
Thickness: 0.11"




**I535 Lattice Rail**  
Thickness: 0.08"




**I7535 Rail**  
Thickness: 0.11"

# VINYL FENCES


## > Profile and Descriptions




**2060 Slot Rail-2**  
Thickness: 0.087"




**2060 Slot Rail-3**  
Thickness: 0.087"




**2060 Double Slot Rail For Panel**  
Thickness: 0.08"




**3535 T Rail**  
Thickness: 0.11"




**I66 Rail**  
Thickness: 0.09"




**Deco Rail**  
Thickness: 0.08"




**6078 T&G**  
Thickness: 0.051"




**6010 T&G**  
Thickness: 0.06"




**I1378 T&G**  
Thickness: 0.051"




**I1375 T&G**  
Thickness: 0.051"



**I1378 2-Section T&G**  
Thickness: 0.055"




**I515 Picket**  
Thickness: 0.08"



**3078 Picket**  
Thickness: 0.08"


# VINYL FENCES

## > Profile and Descriptions




**1578 Picket**

Thickness: 0.08"




**3333 Picket**

Thickness: 0.065"




**3535 Picket**

Thickness: 0.08"




**1505 Picket**

Thickness: 0.05"




**6078 Picket**

Thickness: 0.05"




**Lattice Rail**

Thickness: 0.032"




**U Channel For Lattice**

Thickness: 0.047"




**U Channel For T&G**

Thickness: 0.047"




**U Channel For T&G**

Thickness: 0.08"




**3078 Picket**

Thickness: 0.071"




**5050 Post**

Thickness: 0.15"




**5050 Post**

Thickness: 0.256"




**4040 Post**

Thickness: 0.15"




**3535 Post**

Thickness: 0.174"




**3030 Post**

Thickness: 0.09"



**8585 Post**

Thickness: 0.08"



**2540 Post**

Thickness: 0.12"

# Vinyl Fence \_\_\_\_\_ \_\_\_\_\_ Hardware

# VINYL FENCES

## > Vinyl Hardware



**SafeTech Viper Gravity Latch**

Item No.: **STVGL**  
 Material: Polymers, Aluminium, St. Steel  
 Size: A-A(H)5.720"(W)3.809" B(H)3.543"(W)2.992"  
 Finish: Black

Dec: With Screws



**Lockable (Double Sided) Stainless Steel Latch**

Item No.: **BFLDS40**  
 Material: Stainless Steel  
 Size: -  
 Finish: Black

Dec: With Screws



**Self-Closing, Tension Adjustable Gate Hinge**

Item No.: **SCTAGH03**  
 Material: Stainless Steel  
 Size: -  
 Finish: Black

Dec: With Screws



**Standard Post Latch**

Item No.: **XY38308**  
 Material: Steel, SS304  
 Size: -  
 Finish: Black, White, Zinc, Galvanized, SSFinish

Dec: With Screws



**Self-Closing Adjustable PVC Fence Hinge**

Item No.: **XY38958**  
 Material: Steel, SS304  
 Size: 3.5"(H)/3.5"(W1)/3.5"(W2)/3.5"(D1)/1.25"(D2)  
 Finish: Black, White, Zinc, Galvanized, SSFinish

Dec: With Screws And Pins



**24" Drop Rod**

Item No.: **BFDR24**  
 Material: Steel  
 Size: -  
 Finish: Black

Dec: With Screws

Advantages to using \_\_\_\_\_  
\_\_\_\_\_ **Our Product**

# VINYL FENCES

## > Advantages to Using Our Product



### UV-Tested

- ✓ Barrier's vinyl products are engineered to meet ASTM D4226-16 and ASTM D648-16 standards, ensuring exceptional durability, impact resistance, and heat stability. To combat the effects of prolonged sun exposure, we incorporate a specialized UV-resistant formula into our manufacturing process. This advanced compound provides maximum protection against fading, discoloration, and material degradation, allowing the fence to withstand intense sunlight and harsh outdoor environments.

Our proprietary blend not only preserves the fence's color and finish but also maintains its structural integrity over time, guaranteeing that your vinyl fence remains strong, vibrant, and beautiful for years to come.



### Flexibility

- ✓ Barrier's vinyl fencing offers exceptional flexibility in both design and performance. Engineered to withstand high winds and shifting conditions, the material is resilient enough to flex without cracking or breaking, maintaining its structure even under environmental stress. This flexibility also extends to design versatility—available in a wide range of styles, colors, and configurations to suit any property aesthetic. Additionally, Barrier's vinyl fencing provides cost flexibility, offering premium quality at competitive pricing compared to traditional materials, ensuring lasting value and performance for any budget.



### Durability & Longevity

- ✓ Vinyl and PVC fencing are engineered to outlast traditional materials such as wood or chain link, offering exceptional durability and long-term value. Unlike wood, vinyl will not rot, warp, crack, or attract termites, and unlike metal, it remains immune to rust and corrosion. Its strong, weather-resistant composition allows it to perform reliably in all climates—resisting moisture, UV exposure, and temperature changes without losing its structural integrity. With minimal maintenance and proper care, a Barrier vinyl fence will retain its strength, color, and beauty for decades, making it one of the most dependable fencing solutions available.



### Easy to Maintain

- ✓ Barrier's vinyl fencing is designed for hassle-free upkeep and long-lasting beauty. Unlike wood or metal fencing, it requires no painting, staining, or sealing—simply clean it occasionally with mild soap and water to restore its original shine. The smooth, non-porous surface resists dirt, mold, and mildew, keeping your fence looking fresh with minimal effort. Built to endure the elements without fading or deteriorating, your vinyl fence will retain its clean, like-new appearance for years, making it one of the easiest and most reliable fencing options to maintain.

# Product \_\_\_\_\_ \_\_\_\_\_ Features

# VINYL FENCES

## > Product Features




### Mixing Process With Unique Formula

Barrier's vinyl products are manufactured using a proprietary mixing process that combines premium raw materials with a unique compound formula to achieve maximum strength, flexibility, and longevity. This advanced formulation allows the material to withstand high winds and temperature fluctuations without cracking, warping, or breaking. The result is a fencing product that maintains its structural integrity and aesthetic appeal in even the harshest conditions. Additionally, our specialized blend delivers exceptional value and performance, providing customers with a cost-effective solution that rivals the look and durability of more expensive traditional fencing materials.



### Shipping

Barrier Fencing products are carefully packaged and bundled to ensure they arrive in perfect condition. Each order is organized for efficient transport, with panels, posts, and hardware securely wrapped and protected against scratches or damage during transit. Every shipment is handled with care from our facility to your job site, guaranteeing that your fencing products are delivered safely, neatly, and ready for quick installation.



### Plastic Extrusions Process

Barrier's vinyl fencing is produced through a precision plastic extrusion process, where heated vinyl compounds are pushed through custom dies to form consistent, high-strength profiles. This method ensures uniform wall thickness, smooth surfaces, and superior dimensional accuracy across every component. The result is a fencing product that combines durability and flexibility, allowing it to withstand high winds and outdoor stress without cracking or bending. The efficiency of this process also makes it cost-effective, delivering exceptional quality and performance at a competitive price.



### Client Satisfaction

At Barrier Fencing, client satisfaction is our top priority. Every product is designed to deliver exceptional performance, aesthetic appeal, and long-term value, ensuring our customers receive fencing solutions that exceed expectations. Our materials are engineered for strength, flexibility, and reliability, capable of withstanding harsh weather conditions while maintaining their appearance for years. We also take pride in offering cost-effective options without compromising quality, giving customers premium fencing at competitive prices. Through superior craftsmanship, dependable service, and lasting results, Barrier Fencing is committed to earning your trust and satisfaction with every project.











# FRANCHISING OPPORTUNITIES



It's time to invest!



We're looking for distributors in Your Area,

Call us today to talk about how we can become partners.

# Contact Us

## Barrier Fencing Supply Company (Headquarters)

490 Old US Hwy 74, Chadbourn, NC 28431  
(910)817-4886

✉ [Sales@barrierfencingproducts.com](mailto:Sales@barrierfencingproducts.com)

🌐 [www.barrierfencingproducts.com](http://www.barrierfencingproducts.com)

## Barrier Fencing Supply Company of Midland

12470 Grey Commercial Dr, Midland, NC 28107, United States  
(704)488-9822

✉ [Midland@barrierfencingproducts.com](mailto:Midland@barrierfencingproducts.com)

🌐 [www.barrierfencingproducts.com](http://www.barrierfencingproducts.com)

## Barrier Fencing Supply Company of Swansboro

143 Seth Thomas Ln, Swansboro, NC 28584, United States  
(910)787-2905

✉ [Swansboro@barrierfencingproducts.com](mailto:Swansboro@barrierfencingproducts.com)

🌐 [www.barrierfencingproducts.com](http://www.barrierfencingproducts.com)

## Barrier Fencing Supply Company of Supply

3027 Holden Beach Rd SW, Supply, NC 28462, United States  
(910)842-2688

✉ [Sales@barrierfencingproducts.com](mailto:Sales@barrierfencingproducts.com)

🌐 [www.barrierfencingproducts.com](http://www.barrierfencingproducts.com)

# OUR LOCATIONS

## HEADQUARTERS

### Barrier Fencing Supply Company

Main Office Headquarters: 490 Old US Hwy 74,  
Chadbourn, NC 28431  
Phone# (910)817-4886



## SUPPLY

### Barrier Fencing Supply Company of Supply

3027 Holden Beach Rd SW, Supply, NC 28462, USA  
Phone# (910)842-2688

## MIDLAND

### Barrier Fencing Supply Company of Midland

12470 Grey Commercial Dr, Midland, NC 28107, USA  
Phone# (704)488-9822



## SWANSBORO

### Barrier Fencing Supply Company of Swansboro

143 Seth Thomas Ln, Swansboro, NC 28584, USA  
Phone# (910)787-2905



**BARRIER FENCING**  
SUPPLY COMPANY

---

Aluminum & Vinyl Fences  
**PRODUCT CATALOG**



[www.barrierfencingproducts.com](http://www.barrierfencingproducts.com)



[Sales@barrierfencingproducts.com](mailto:Sales@barrierfencingproducts.com)